3401 - ‘Royale’ Exposed Thermostatic Tub & Shower Set



Technical Information

- 8” rose.
- Tub spout max. flow rate is 5.38 GPM.
- Hand shower max. flow rate is 1.8 GPM.
- 8” shower head max. flow rate is 1.8 GPM.
- Flow rates are based on use of ¾” supply lines and will vary depending on water pressure.
- Uses Flühs ceramic volume control cartridges.
- Integral shutoff valves.
- 3/4”’ connections.
- 19 GPM @ 60 PSI (4 Bars).
- 5’ hand shower hose.
- Available finishes are French Weathered Brass **(47)**, Polished Chrome **(48)**, SoliBrass **(49)**, Lacquered Matte Black Nickel **(50)**, Old Gold **(52)**, Old Silver **(53)**, Polished Brass **(55)**, Polished Nickel **(56)**, Brushed Nickel **(57)**, Satin Nickel **(60)**, Antique Lacquered Copper **(67)**, Antique Lacquered Brass **(68)**, Weathered Brass **(70)**, Lacquered Polished Black Nickel **(71)** and Lacquered Polished Copper **(80)**.
- Please See Cleaning Instructions: http://herbeau.com/CleaningAll.pdf For Finish Care and Maintenance Information.

Part#	Description
01	Mounting Screw Kit
02	Wall Mounting Plate
03	Mounting Screws
04	Coil For Wall Support
05	½” Washer
11	5’ Complete Hose
16	½” Washer
17	Hand Spray Elbow
18	White Rubber Hand Shower Ring
19	Ceramic Handle
20	Top Knob
21	Finished Washer
22	Shower Head Arm
23	Head Swivel Kit
25	Low Flow Restrictor
30	Shower Head
31	Rubber O-Ring
32	Shower Arm Column
34	Aerator Washer
35	Finished Brass Nut
36	Riser Pipe
38	½” Washer
39	Finished Mount Plate
40	½” Valve Body
41	Valve Body

Part#	Description
42	½ Turn Ceramic Cartridge - Ecobrass
43	Finished Screw
44	Bell Escutcheon
45	Handle Stem
46	Cross Handle
47	Washer
48	Handle Screw
49	Finished Insert Holder
50	Black Logo Ceramic Insert
51	Valve Connectors
52	Rubber O-Ring
53	Connector M-M ½-3/4
54	¾-16 Finished Nuts
55	¾” Washer
56	Adapter M-M ¾-1/2
57	1” X 1” O.D. Socket Adapter
58	Escutcheon-3/4”
59	½” Washer
60	Thermostat Main Body
61	Finished Dial Plate
62	Thermostat Stop Plate
63	Square Tube
64	Swivel Bushing
65	Complete Finished Scold Stop Kit
66	Valve Connector
68	Rubber O-Ring
69	Spout Connector
70	Tub Spout
71	Valve Button
72	Integral Stop
73	Bell Escutcheon & Stem
74	Set Screw
75	Ball Joint
76	3/8” - 1/2” Connector
78	Slide Elbow
79	Escutcheon
90	Royale Finished Ceramic Insert Black Logo
91	Complete Hand Shower W/Ceramic Handle
92	Hand Spray Wall Mount Elbow
93	¾” Thermostatic Cartridge With Finished Cover Plate
94	Hand Shower Holder

Copyright©2019 Herbeau Creations. All rights reserved. All products and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and / or dimensional errors. Typographical errors are subject to correction.

Please Follow Example When Ordering Parts For 'Royale' Exposed Thermostatic Tub & Shower Set

- To order part#46 – Cross Handle
    - 950064**xx**
- Please Substitute Finish Number Needed in Place of **XX**

Copyright©2019 Herbeau Creations. All rights reserved. All products and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and / or dimensional errors. Typographical errors are subject to correction.

3401 - 'Royale' Exposed Thermostatic Tub & Shower Set







FLOWRATES

TUB SPOUT:
= APPROX. 5.38 GPM
HANDSPRAY:
= APPROX. 1.8 GPM
SHOWERHEAD:
= APPROX. 1.8 GPM

FLOW RATES LISTED ABOVE ARE BASED ON USE OF 3/4" SUPPLY LINES AND WILL VARY DEPENDING ON WATER PRESSURE.

Copyright©2017 Herbeau Creations. All rights reserved. All product and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and/or dimensional errors. Typographical errors are subject to correction.

3401 - 'Royale' Exposed Thermostatic Tub & Shower Set

*P/N 990236 FITS POST 9/2009 3401 MODELS ONLY
*P/N 930011 FITS ALL VERSIONS OF 3401

*P/N = PART NUMBER



◯ = FINISHED PARTS

XX = TWO DIGIT FINISH CODE

Copyright©2017 Herbeau Creations. All rights reserved. All product and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and/or dimensional errors. Typographical errors are subject to correction.