3404 - 'Royale' Exposed Tub & Shower Thermostatic Mixer Wall Mounted



Technical Information

- Tub spout maximum flow rate is 5.38 GPM.
- Personal hand shower maximum flow rate is 1.8 GPM.
- Flow rates are based on use of ¾" supply lines and will vary depending on water pressure.
- Uses Flühs ceramic volume control cartridges.
- Integral shutoff valves.
- 3/4"' connections.
- 19 GPM @ 60 PSI (4 bars).
- 5' hand shower hose.
- Available finishes are French Weathered Brass **(47)**, Polished Chrome **(48)**, SoliBrass **(49)**, Lacquered Matte Black Nickel **(50)**, Old Gold **(52)**, Old Silver **(53)**, Polished Brass **(55)**, Polished Nickel **(56)**, Brushed Nickel **(57)**, Satin Nickel **(60)**, Antique Lacquered Copper **(67)**, Antique Lacquered Brass **(68)**, Weathered Brass **(70)**, Lacquered Polished Black Nickel **(71)** and Lacquered Polished Copper **(80)**.
- Please See Cleaning Instructions: http://herbeau.com/CleaningAll.pdf For Finish Care and Maintenance Information.

Part#	Description
01	Finished Knob
03	Hand Shower Holder
06	Screw
10	Hand Spray Column
11	5' Complete Finished H/S Hose Assembly
16	½" Washer
18	White Rubber Ring
19	Ceramic Handle
25	Low Flow Restrictor
39	Finished Mounting Plate
40	½" Valve Body
41	Valve Body
42	½ Turn Ceramic Ecobrass Cartridge
44	Bell Escutcheon
45	Handle Stem
46	Cross Handle
47	Washer
48	Handle Screw
49	Finished Insert Holder
50	Black Logo Ceramic Insert
51	H/S Holder Body
52	Rubber O-Ring
53	½ - ¾ Male To Male Adapter
54	¾-16 Nuts
55	¾" Washer
56	¾" Male – ½" Male Adapter
57	1" O.D. X 1" O.D. Socket Adapter
58	Escutcheon ¾"
59	¾" Washer
60	Thermostatic Body W/Thermostat
61	Finished Dial Plate
62	Thermostat Stop Plate
63	Square Tube
64	Swivel Bushing
65	Scold Stop Kit
66	Valve Connector
68	Rubber O-Ring
69	Spout Connector
70	Tub Spout
71	Valve Button
72	Integral Stop
73	Bell Escutcheon & Stem
90	Royale Finished Ceramic Insert Black Logo
91	Complete Hand Shower W/Ceramic
93	¾" Cartridge With Plate

Copyright©2019 Herbeau Creations. All rights reserved. All products and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and / or dimensional errors. Typographical errors are subject to correction.

Please Follow Example When Ordering Parts For 'Royale' Exposed Thermostatic Tub & Shower Set

- To order part#46 – Cross Handle
    - 950064**xx**
- Please Substitute Finish Number Needed in Place of **XX**

Copyright©2019 Herbeau Creations. All rights reserved. All products and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and / or dimensional errors. Typographical errors are subject to correction.

3404 - 'Royale' Exposed Tub & Shower Thermostatic Mixer Wall Mounted



FLOWRATES
TUB SPOUT:
= APPROX. 5.38 GPM
HANDSPRAY:
= APPROX. 1.8 GPM

FLOW RATES LISTED ARE BASED ON USE OF 3/4" SUPPLY LINES AND WILL VARY DEPENDING ON WATER PRESSURE.

Copyright©2017 Herbeau Creations. All rights reserved. All product and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and/or dimensional errors. Typographical errors are subject to correction.

3404 - 'Royale' Exposed Tub Thermostatic Mixer Wall Mounted

*990236 CARTRIDGES FOR FIXTURES MADE AFTER 2009.
*930011 CARTRIDGES GOOD FOR ALL YEARS
*P/N = PART NUMBER



◯ = FINISHED PARTS

XX = TWO DIGIT FINISH CODE

Copyright©2017 Herbeau Creations. All rights reserved. All product and specifications are subject to change without notice.
Herbeau Creations is not responsible for typographical and/or dimensional errors. Typographical errors are subject to correction.